

# PHILIPS




## Tango

Tango LED Flood Lighting Luminaire suitable for providing Area Lighting , High mast Lighting . The unique peanut optics lens optics with High efficiency LED systems ensure energy efficient lighting , uniform light distribution , uncompromised uniformity & better Lighting levels for the area lighting.









### Features :

- High Efficiency
- Unique Integrated Peanut Lens Optics
- Multiple Lumen outputs
- Robust Dies cast Aluminum Housing
- SDCM : 5
- BIS Approved Driver



## SPECIFICATIONS

|                         |                                   |
|-------------------------|-----------------------------------|
| System Wattage **       | 300W/ 350W / 400W                 |
| Lumen Output **         | 36000 Lm , 42000 Lm , 48000 Lm    |
| System Efficacy         | 120 Lm/W                          |
| Optics                  | AWB/ SWB / SMB / NB/ AMB          |
| Color temperature       | 5700                              |
| CRI                     | 70                                |
| IP                      | 66                                |
| Gasket Material         | Heat Proof Silicon Rubber         |
| Housing                 | High Pressure Die Cast Aluminum   |
| Cover                   | High Transmittance Tempered Glass |
| Mounting                | U Clamp                           |
| Driver                  | PSU                               |
| THD                     | <10% (At full load)               |
| Power Factor            | >.95                              |
| Operating Voltage Range | 120-270V                          |
| IK                      | 08                                |
| Weight                  | 14 KG                             |
| SDCM                    | 5                                 |





Unique lens plate  
and choice  
of optics


Best in class  
driver and LED's

Installer  
friendly

Three optics options  
for different types of  
Area

Constant Light , Wide  
Voltage , 440V Stress  
Voltage , High Cut and  
Auto Restart

Installation Friendly



A modern urban lighting solution